




AUSSIE
GREEN LIGHTING

Unit 10/78 Willandra Drive Epping Vic 3076 | 03 9401 4885 |


E-mail: info@aussiegreenlighting.com.au |

Web: www.aussiegreenlighting.com.au

LED Sensor Panel Light



AUSSIE
GREEN LIGHTING




Motion+daylight sensor
Detection area: 3-5.5metres
Hold on time: OFF/30s/10min/30min
With remote control

SPECIFICATIONS

Product Size (mm)	295X1195X30	295X1195X30	295X1195X30
Power	16W	18W	24W
LCP	15.83W	17.83W	22.74W
Input Voltage	AC220~240V,50Hz		
Efficiency	140lm/w		
Lumen	2240lm	2520lm	3360lm
Light Type	Back-lit panel		
Sensor	Daylight&Microwave Motion Sensor		
LED Type	SMD 2835		
CCT	3000K,4000K,5000K,6500K		
CRI	Ra > 80		
Power Factor	> 0.9		
Beam Angle	120°		
IP Rating	IP 20		
Material	Aluminum frame+PS diffuser		
Warranty	3 years		
VEET	Approved		
IPART	Approved		

DETAILS



APPLICATION



PACKING

Item code	P16/18/24W30120-A1
Carton Size (mm)	1225X300X335
Qty/CTN	8
N.W (KG)	13
G.W (KG)	15

Package size (mm)

