




AUSSIE
GREEN LIGHTING

Unit 10/78 Willandra Drive Epping Vic 3076 | 03 9401 4885|


E-mail: info@aussiegreenlighting.com.au |

Web: www.aussiegreenlighting.com.au

LED Sensor Panel Light



AUSSIE
GREEN LIGHTING




Motion+daylight sensor
Detection area: 3-5.5metres
Hold on time: OFF/30s/10min/30min
With remote control

SPECIFICATIONS

| | | | |
|-------------------|----------------------------------|-------------|-------------|
| Product Size (mm) | 295X1195X30 | 295X1195X30 | 295X1195X30 |
| Power | 16W | 18W | 24W |
| LCP | 15.83W | 17.83W | 22.74W |
| Input Voltage | AC220~240V,50Hz | | |
| Efficiency | 140lm/w | | |
| Lumen | 2240lm | 2520lm | 3360lm |
| Light Type | Back-lit panel | | |
| Sensor | Daylight&Microwave Motion Sensor | | |
| LED Type | SMD 2835 | | |
| CCT | 3000K,4000K,5000K,6500K | | |
| CRI | Ra > 80 | | |
| Power Factor | > 0.9 | | |
| Beam Angle | 120° | | |
| IP Rating | IP 20 | | |
| Material | Aluminum frame+PS diffuser | | |
| Warranty | 3 years | | |
| VEET | Approved | | |
| IPART | Approved | | |



DETAILS



APPLICATION



PACKING

| | |
|------------------|--------------------|
| Item code | P16/18/24W30120-A1 |
| Carton Size (mm) | 1225X300X335 |
| Qty/CTN | 8 |
| N.W (KG) | 13 |
| G.W (KG) | 15 |

Package size (mm)

