



Unit 10/78 Willandra Drive Epping Vic 3076 | 03 9401 4885|

E-mail: info@aussiegreenlighting.com.au | Web: www.aussiegreenlighting.com.au

LED Bulb Light | 7W

SPECIFICATIONS

7W
AC220~240V,50Hz
140lm/w
2700-6500K
219°
Ra>80
PF>0.9
>85%
-20 ~ +45 degree centigrade
-30 ~ +65 degree centigrade
AL+PC
60*110mm
E27
25000H










LED products have become the best solution for commercial lighting, factories, malls, hospitals, homes, villas, hotels, cafe shop, museum, etc




ERS tech

PACKING

Item code	ERS-7W-E27	ERS-7W-B22
Carton Size (mm)	680X345X270	680X345X270
Qty/CTN	100	100
N.W.(KG)	8	8
G.W.(KG)	9	9

- 1. Each CTN should stick carton label on both front shipping mark and side shipping mark. Product parameters stick on white box.
- 2. Handle gently during carry, No Throwing.
- 3. Store conditions: moistureproof, dustproof, pressure defense, fall prevention, the acid and alkali substances. Avoid direct sunlight and dew formation.





INSTALL INSTRUCTION

- 1. Be sure the power is turned off.
- 2. Check that the socket is the one written in the label and screw of the lamp in the corresponding socket.
- 3. Turn on the power, enjoy the lighting.

CAUTION

- $1. \ \, \text{This type of bulb is an indoor lamps (IP 20), not waterproof, do not use outside, in the place with}$
- high humidity or near ammable products.
- 2. If do not use for long time, please keep the items in a dry and clean environment.
- 3. To prevent damage to the lamp, before connecting, check that the input voltage is the one written in the label.
- 4. This type of bulb don't have dimming function, connect it to a dimmer may cause malfunctions or failures, for dimming type, please contact our sales department.
- 5. To prevent accidents or invalidate the warranty in case of failure or malfunction of the product, please do not open and /or replace parts without express authorization of the manufacturer.
- 6. We reserves the right to make any aesthetic, functional or design modifications to any of its products without prior notice.

